

CATALOG
35

JEANNETTE

LIGHTING
GLASSWARE

1/31/37

FEB 13 1939

JEANNETTE SHADE & NOVELTY CO.
JEANNETTE, PENNSYLVANIA, U. S. A.

147 2/3

J^sn

456

2307 - 48 Laurel units

2308 -

130

Direct Index

2312 -

150

426

2314 - Laurel units

567

-

Direct Index *Jeannette* 915

Commercial and Residential


Lighting

Chandelier

2508 - Semi Direct Chrome Lacquer \$25

2510 -

630



FEB 13 1939


JEANNETTE SHADE AND NOVELTY CO.

JEANNETTE, PENNSYLVANIA

Jeannette Lustralite

SEMI-INDIRECT LIGHTING

*Better
Light*



*Better
Sight*

JEANNETTE LUSTRALITE

SEMI-INDIRECT

Fixture wired complete
(Open Top Bowl)

Number	Diameter	Finish	Porcelain Socket	Length Overall	Wattage	Weight Packed	Code
510	18"	Satin Pewter	Medium	36"	200 or 300	10-lbs.	Acid
511	18"	Satin Pewter	Mogul	36"	300 to 500	10-lbs.	Acme

The "LUSTRALITE" bowl is made from our highest quality DENSE OPAL "TENSOLITE" glass which is noted for low surface brightness yet gives the maximum of light output.


Above fixtures packed 1 to carton.

The bowl is mounted with a three point suspension hanger which has three stationary arms and permits easy insertion of the fixture into the bowl. Ball-swivel screw collar construction throughout.

J^oS^oN

Jeannette Crusader

FOR COMMERCIAL LIGHTING



Made from our
HIGHEST QUALITY "TENSOLITE" GLASS

Number	Width	Depth	Fitter	Wattage	No. to Carton	Weight Packed	Code
2208	8½"	6½"	4"	75 to 100	12 only	22-lbs.	Cube
2212	12"	8½"	6"	150 to 200	4 only	15-lbs.	Cuff
2214	14"	9¼"	6"	200 to 300	2 only	11-lbs.	Cult
2216	16"	9¾"	6"	300 to 500	1 only	8-lbs.	Cure

The "CRUSADER" Unit is offered for those desiring something different in the way of commercial lighting units and as same is made from our highest quality "TENSOLITE" glass it gives the utmost in light output, low surface brightness and eliminates eye strain which is so essential for BETTER LIGHT, BETTER SIGHT.

ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 134982

ORDER NO. 58494-S


PLATE NO. 28035

CANDLEPOWER DISTRIBUTION

NO.537 SEMI-INDIRECT BOWL*

Rendered to Jeannette Shade and Novelty Company

Lamp - 300 Watts; 115 Volts; 5490 Lumens;
PS35 Inside Frosted Gas-Filled Bulb;
C-7A Filament; Mogul Base; General Service.



White Diffusing Glass
Weight - 5 lbs. 5 oz.

LUMINAIRE DISTRIBUTION DATA


Mean Vertical

MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° IEN.	1420		90° HOR.	60	
175°	1390	129	85°	64	70
165°	1030	296	75°	83	88
155°	975	454	65°	107	106
145°	965	606	55°	134	120
135°	905	700	45°	162	125
125°	795	714	35°	186	117
115°	670	649	25°	210	97
105°	263	314	15°	226	64
95°	90.5	99	5°	233	22
			0° NADIR	233	

LIGHT FLUX VALUES

ZONE	LUMENS		PER CENT TOTAL LUMENS BARE LAMP	PER CENT LIGHT OUTPUT
	LAMP	LUMINAIRE		
0°-60°	1350	545	10	87
0°-90°	2801	809	15	
90°-180°	2688	3961	72	
0°-180°	5489	4770	87	

LUMINAIRE BRIGHTNESS



CANDLEPOWER PER SQUARE INCH
THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

LOCATIONS A B C D E F G H I J K L M

CP. PER SQ. IN. 0.5 0.6 2.2 2.6 0.5 2.6 1.1

0.5 2.4

*E.T.L. Identification No.5399.

TESTED BY arc PLOTTED BY MW COMPUTED BY MW CHECKED BY Sm ISSUED May 6th, 1935.

APPROVED BY

William F. Little
ENGINEER IN CHARGE OF PHOTOMETRY



C. F. How
IN CHARGE OF TEST

See Page No. 5 for Semi-indirect

Jeannette Visualite

SEMI-INDIRECT LIGHTING

Better Light
Better Sight
With
"VISUALITE"



Cut out section showing how
fixture is mounted in the open
top bowl.

THE JEANNETTE VISUALITE

SEMI-INDIRECT

Fixture Wired Complete
(Open Top Bowl)

Number	Size of Bowl	Finish	Porcelain Socket	Length Overall	Wattage	Weight Packed	Code
567	16"	Satin Pewter	Medium	30"	200	12-lbs.	Abbe
537	18"	Satin Pewter	Mogul	36"	300 to 500	15-lbs.	Baba

The "VISUALITE" bowl is made from our highest quality DENSE OPAL "TENSOLITE" glass, which gives the maximum light output and the low surface brightness eliminates EYE STRAIN thereby conforming with the BETTER LIGHT, BETTER SIGHT program.

Above fixtures packed 1 to carton.

The "VISUALITE" bowl is mounted with a three point suspension hanger which has two stationary arms and one that breaks which permits easy insertion of the fixture in the bowl. The arm that breaks has a set screw that after the fixture is inserted in the bowl locks the arm firmly so the bowl hangs securely on the three point suspension. Ball-Swivel Screw collar construction throughout.

See Page 4 for test chart

ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 133434

ORDER NO. 55645-S


PLATE NO. 27337

CANDLEPOWER DISTRIBUTION

NO. 437 SEMI-INDIRECT

Rendered to Jeannette Shade and Novelty Company

Lamp - 200 Watts; 115 Volts; 3362 Lumens;
PS30 Inside Frosted Gas-Filled Bulb;
C-9 Filament; Medium Base; General Service.



White diffusing glass
Weight - 3 lb. 10 oz.

LUMINAIRE DISTRIBUTION DATA

Mean Vertical

MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° IEN.	365		90° HOR.	40.1	
175°	399	38	85°	29.4	35
165°	438	124	75°	37.2	39
155°	485	225	65°	53.5	53
145°	510	319	55°	73	65
135°	492	381	45°	94	73
125°	441	396	35°	114	72
115°	379	376	25°	130	60
105°	316	334	15°	143	40
95°	132	146	5°	147	14
			0° NADIR	148	

LIGHT FLUX VALUES

ZONE	LUMENS		PER CENT TOTAL LUMENS BARE LAMP	PER CENT LIGHT OUTPUT
	LAMP	LUMINAIRE		
0°-60°	925	324	9.5	83
0°-90°	1724	451	13.5	
90°-180°	1638	2339	69.5	
0°-180°	3362	2790	83	

LUMINAIRE BRIGHTNESS

CANDLEPOWER PER SQUARE INCH
THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

LOCATIONS A B C D E F G H I J K L M


CP. PER SQ. IN. 0.5 0.5 1.5 1.9 0.5 1.6 1.2 1.8 1.9 0.5 1.9

TESTED BY ARC PLOTTED BY Wm J. *E.T.L. Identification No. 4924
COMPUTED BY Wm J. CHECKED BY Wm J. ISSUED May 15th, 1934

APPROVED BY

William F. Smith
ENGINEER IN CHARGE OF PHOTOMETRY

C. F. Horn
IN CHARGE OF TEST




J^oson

Jeannette Eye-Deal-Lite

SEMI-INDIRECT LIGHTING

*Better
Light*

*Better
Sight*



JEANNETTE EYE-DEAL-LITE

SEMI-INDIRECT

Fixture wired complete
(Open Top Bowl)

Number	Size of Bowl	Fixture Finish	Porcelain Socket	Length Overall	Wattage	Weight Packed	Code
434	16"	Bank Bronze	Medium	30"	200 to 300	12-lbs.	Back
437	16"	Pewter	Medium	30"	200 to 300	12-lbs.	Beam

The "EYE-DEAL-LITE" bowl is made from our highest quality DENSE OPAL "TENSOLITE" glass and as noted on the test chart it has a very low surface brightness yet has a very high light output.

Above fixtures packed 1 to carton.

The Bowl is mounted with three point suspension hanger which has two stationary arms and one that breaks which permits easy insertion of the fixture into the bowl. The arm that breaks has a set screw that after the fixture is inserted into the bowl locks the arm firmly. Ball-Swivel Screw collar construction throughout.

See Page 6 for test chart

ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 134852

ORDER NO. 58216-S

PLATE NO. 27986


CANDLEPOWER DISTRIBUTION

NO.8 TENSOLITE UNIT*

Rendered to Jeannette Shade and Novelty Company

Lamp - 200 Watts; 115 Volts; 3400 lumens;
PS30 Inside Frosted Gas-Filled Bulb; C-9
Filament; Medium Base; General Service.

Surface covering globe opening - reflection
factor 0.70.



White diffusing glass
Weight - 2 lb 4 oz.

LUMINAIRE DISTRIBUTION DATA

MEAN VERTICAL

MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° IEN.	207		90° HOR.	193	
175°	206	20	85°	199	217
165°	203	57	75°	215	229
155°	198	92	65°	241	239
145°	191	120	55°	271	243
135°	190	147	45°	297	230
125°	186	167	35°	315	198
115°	184	183	25°	325	150
105°	184	195	15°	326	92
95°	188	205	5°	324	31
			0° NADIR	322	

LIGHT FLUX VALUES

ZONE	LUMENS		PER CENT TOTAL LUMENS BARE LAMP	PER CENT LIGHT OUTPUT
	LAMP	LUMINAIRE		
0°-60°	934	944	28	83
0°-90°	1742	1629	48	
90°-180°	1656	1186	35	
0°-180°	3398	2815	83	

LUMINAIRE BRIGHTNESS

CANDLEPOWER PER SQUARE INCH

THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

LOCATIONS	A	B	C	D	E	F	G	H	I	J	K	L	M
CP. PER SQ. IN.	2.1	2.2	2.3	2.0	3.6	1.8	1.8	2.8	3.2	3.6	2.2	3.4	1.6


TESTED BY *alc* PLOTTED BY *alc* *E.T.L. Identification No. 5376. COMPUTED BY *alc* CHECKED BY *ml* ISSUED April 11th, 1936.

APPROVED BY

William F. Little
ENGINEER IN CHARGE OF PHOTOMETRY *ml*

C. E. Horn
IN CHARGE OF TEST

See Page No. 9 for Unit



J. S. N.

Jeannette Commander

FOR COMMERCIAL LIGHTING



Made from

HIGHEST QUALITY TENSOLITE GLASS

Number	Width	Depth	Fitter	Wattage	No. to Carton	Weight Packed	Code
2	8½"	7"	4"	75 to 100	12 only	20-lbs.	Acre
4	10"	7½"	4"	100 to 150	8 only	20-lbs.	After
6	12"	8"	6"	150 to 200	4 only	15-lbs.	Argue
8	14"	8½"	6"	200 to 300	2 only	10-lbs.	Ally
10	16"	11"	6"	300 to 500	1 only	8-lbs.	Alms

The "COMMANDER" Unit is made from our highest quality opal "TENSOLITE" glass which gives a very high light output yet eliminates eye strain which is so necessary for the modern trend of lighting.

See Page 8 for test chart

ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 133994

ORDER NO. 56686-S


PLATE NO. 27610

CANDLEPOWER DISTRIBUTION

NO.1614 TENSOLITE UNIT*

Rendered to Jeannette Shade & Novelty Company

Lamp - 200 Watts; 115 Volts; 3400 Lumens;
PS30 Inside Frosted Gas-Filled Bulb; C-9
Filament; Medium Base; General Service.
Surface covering globe opening, reflection
factor 0.70.



White diffusing glass.

Weight - 2 lbs. 4 oz.

LUMINAIRE DISTRIBUTION DATA

Mean Vertical

MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° HORIZ.	216		90° HORIZ.	169	
175°	211	20	85°	181	197
165°	228	65	75°	212	224
155°	212	98	65°	252	250
145°	190	119	55°	301	270
135°	174	135	45°	348	269
125°	159	143	35°	389	244
115°	152	151	25°	425	197
105°	151	160	15°	451	128
95°	161	176	5°	468	44
			0° VERT.	469	

LIGHT FLUX VALUES

ZONE	LUMENS		PER CENT TOTAL LUMENS BARE LAMP	PER CENT LIGHT OUTPUT
	LAMP	LUMINAIRE		
0°-60°	934	1152	34	85
0°-90°	1742	1823	53.5	
90°-180°	1656	1067	31.5	
0°-180°	3398	2890	85	

LUMINAIRE BRIGHTNESS

CANDLEPOWER PER SQUARE INCH
THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

LOCATIONS	A	B	C	D	E	F	G	H	I	J	K	L	M
CP. PER SQ. IN.	2.1	2.3	4.2	2.4	5.4	2.0	5.4	3.7			2.3	5.0	2.3

*E.T.L. Identification No.4993.


TESTED BY WRC PLOTTED BY MW COMPUTED BY MW CHECKED BY JMT ISSUED October 2nd, 1934

APPROVED BY

William F. Little
ENGINEER IN CHARGE OF PHOTOMETRY


C. E. Horn
IN CHARGE OF TEST

See Page No. 11 for Unit



Jeannette Baldwin

FOR COMMERCIAL LIGHTING



Made from

HIGHEST QUALITY TENSOLITE GLASS

Number	Width	Depth	Fitter	Wattage	No. to Carton	Weight Packed	Code
1608	8½"	6½"	4"	75 to 100	12 only	20-lbs.	April
1610	10"	7"	4"	100 to 150	8 only	20-lbs.	Area
1612	12"	7½"	6"	150 to 200	4 only	15-lbs.	Axis
1614	14"	7¾"	6"	200 to 300	2 only	10-lbs.	Band
1616	16"	9"	6"	300 to 500	2 only	15-lbs.	Bank
1618	18"	10¾"	6"	300 to 500	1 only	12-lbs.	Bare
1620	20"	11¼"	8"	500 to 1000	1 only	15-lbs.	Bark


The "BALDWIN" unit has proven very popular due to it's efficiency in lighting, elimination of glare, also because it has the plain swing type bottom which is so pleasing to the eye. This line is made from our highest quality opal 'TENSOLITE' glass.

See Page 10 for test chart

Jeannette Baldwin

Semi-Indirect

FOR COMMERCIAL LIGHTING



Number	Width	Depth	Fitter	Wattage	No. to Carton	Weight Packed	Code
2108	8½"	6½"	4"	75 to 100	12 only	23-lbs.	Barn
2110	10"	7"	4"	100 to 150	8 only	25-lbs.	Base
2112	12"	7½"	6"	150 to 200	4 only	18-lbs.	Bate
2114	14"	7¾"	6"	200 to 300	2 only	13-lbs.	Bath
2116	16"	9"	6"	300 to 500	2 only	19-lbs.	Bawl
2118	18"	10¾"	6"	300 to 500	1 only	14-lbs.	Bead
2120	20"	11 1/8"	8"	500 to 1000	1 only	17-lbs.	Beak

The "BALDWIN" is made from our famous water clear crystal glass with a weather resisting enamel fired into the bottom which gives an effect of an over layer of glass. The top has a light fume fired into the glass which eliminates shadows yet permits the greater percentage of the light to be reflected upward giving it a very efficient SEMI-INDIRECT effect which is desirous in many lighting installations.

J. S. N.

Jeannette Rosemont

SEMI-INDIRECT



Number	Finish of Glass	Wattage	Code
793-R	Rose	75	Clot
793-G	Green	75	Clue
793-A	Golden Amber	75	Coal
793-I	Ivory†	75	Coat
793-F	French Crystal	75	Coke

Fixture finished in ivory with gold knobs

Diameter of glass 10½"

Length overall 9½"

Packed individually 4 to case

Weight packed 22-lbs.

FOR BEDROOMS, SUNROOM AND BREAKFAST-ROOMS

The above SEMI-INDIRECTS are offered in a variety of colors that assure you a selection for any decorative scheme.

Jeannette Bowls



Number	Spread	Depth	No. to Carton	Weight Packed	Code
595	9"	5"	6	17-lbs.	Bind
599	11"	5½"	6	25-lbs.	Crow

Fixture finished in chromium
Above equipped with 2 sockets



Number	Spread	Depth	No. to Carton	Weight Packed	Code
596	13"	6"	1	6-lbs.	Belt
597	15"	6½"	1	7-lbs.	Best

Fixture finished in chromium
Above equipped with 3 sockets

The opal bowls are made from "TENSOLITE" glass and have the same efficiency as our commercial units and especially adaptable where a close-up fixture is desired.



The cut bowls are made from our water clear crystal glass, roughed outside then cut BY HAND, and are adaptable where decorative lighting is wanted.

No.	Fixture	Code
No. 3042-P	Pewter fixture	Bier
No. 3042-B	Old brass fixture	Bike
No. 3042-W	Weathered bronze fixture	Bill

Spread overall 14"

Depth 6½"

Packed 1 to carton
Weight 5-lbs. packed
Equipped with 2 sockets



Number	Spread	Depth	No. to Carton	Weight Packed	Code
608	9"	5"	6	19-lbs.	Bend
610	11"	5½"	6	27-lbs.	Bevy
612	13"	6"	1	7-lbs.	Bide
614	15"	6½"	1	8-lbs.	Hose

Fixture finished in Colonial Brass
No. 608 and 610 equipped with 2 sockets
Nos. 612 and 614 equipped with 3 sockets



No.	Fixture	Code
No. 83	Chromium fixture	Bing

Spread overall 9"

Depth 3½"

Packed individually 6 to case
Weight 16-lbs. packed
Equipped with 2 sockets

ALL FIXTURES ON THIS PAGE ARE WIRED COMPLETE

J. S. N.

Jeannette Coronado

SEMI-INDIRECT



Number	Finish of Glass	Wattage	Code
794-R	Rose	100 or 150	Chip
794-G	Green	100 or 150	Clam
794-A	Golden Amber	100 or 150	Claw
794-I	Ivory	100 or 150	Clay
794-F	French Crystal	100 or 150	Clod

Fixtures finished in Ivory and Gold

Diameter of glass $10\frac{1}{2}$ "

Length overall 10"

Packed individually 4 to case
Weight 23-lbs. packed

The clear crystal design in the center of the glass gives the effect of brilliants, which is most attractive. The newest in Semi-Indirect Lighting for BEDROOMS, BREAKFAST-ROOMS and SUNROOMS.

Jeannette Cavalcade



ENAMEL BOTTOM
CLEAR FLUTED TOP
CLEAR CENTER
IN BOTTOM



No. 678-EC Code
Dago
Diameter $6\frac{1}{2}$ " Depth $5\frac{1}{2}$ "
Fitter $2\frac{1}{4}$ "
Open bottom for lamping
75 or 100 Watt
Packed 12 per carton
Weight 18-lbs. packed

No. 679-EC Code
Dale
Diameter 7" Depth 6"
Fitter 4"
75 or 100 Watt
Packed 12 per carton
Weight 20-lbs. packed

The "CAVALCADE" line shown on this page without the NEOLINE is offered for Kitchens, Bathrooms, Breakfast-nooks and any other room where simplicity and class is desired. The No. 682 as shown on this circular is offered for Offices, Stores or public buildings and schools as it is especially high in efficiency and gives the semi-indirect effect. Made from Jeannette's water clear crystal glass with enamel fired into the glass.



No. 681-EC Code
Dame
Diameter $8\frac{1}{2}$ " Depth $6\frac{1}{2}$ "
Fitter 4"
100 Watt
Packed 12 per carton
Weight 28-lbs. packed



No. 682-EC Code
Damp
Diameter 13" Depth 9"
Fitter 6"
200 or 300 Watt
Packed 2 per carton
Weight 12-lbs. packed


J.s.n

Jeannette Cavalcade



(BLUE SHOWN)

FEATURING

"NEOLINE"

(GREEN SHOWN)

	Code
No. 678-EC Red Neoline	Dare
No. 678-EC Blue Neoline	Dark
No. 678-EC Green Neoline	Deal
No. 678-EC Black Neoline	Debt

Diameter 6½"

Fitter 2¼"

Depth 5½"

Open bottom for lamping

75 or 100 Watt

Packed 12 per carton

Weight 18-lbs. packed

	Code
No. 679-EC Green Neoline	Able
No. 679-EC Blue Neoline	Also
No. 679-EC Red Neoline	Apex
No. 679-EC Black Neoline	Arab

Diameter 7"

Fitter 4"

Depth 6"

75 or 100 Watt

Packed 12 per carton

Weight 20-lbs. packed

The "NEOLINE" is entirely different in effect than any globe offered as it is especially adaptable where a decorative effect is desired for Kitchen, Bathroom, Breakfast-nook or Bedroom. This line being made from Jeannette's water clear crystal glass has the clear fluted top, clear center in the bottom. The enamel and the line are fired into the glass.



(RED SHOWN)

	Code
No. 681-EC Red Neoline	Army
No. 681-EC Blue Neoline	Aunt
No. 681-EC Green Neoline	Axle
No. 681-EC Black Neoline	Bail

Diameter 8½"

Fitter 4"

Depth 6½"

100 Watt

Packed 12 per carton

Weight 28-lbs. packed



(BLACK SHOWN)

	Code
No. 682-EC Black Neoline	Bait
No. 682-EC Blue Neoline	Bake
No. 682-EC Red Neoline	Bald
No. 682-EC Green Neoline	Ball

Diameter 13"

Fitter 6"

Depth 9"

200 or 300 Watt

Packed 2 per carton

Weight 12-lbs. packed

Jeannette Cavalcade



No. 679 All white Dell
Diameter 7" Depth 6"
Fitter 4"
Packed 12 per carton
Weight 19-lbs. packed

No. 678 All white Deck
Diameter 6½" Depth 5½"
Fitter 2¼"
Open bottom for lamping
Packed 12 per carton
Weight 17-lbs. packed

No. 681 All White Dent
Diameter 8½" Depth 6½"
Fitter 4"
Packed 12 per carton
Weight 26-lbs. packed

Made from our highest quality "TENSOLITE" glass—for Kitchens and Bathrooms.

Jeannette Aurora

EFFICIENT
PLEASANT
LIGHTING



FOR BEDROOMS
AND
BREAKFAST-ROOMS

SEMI-INDIRECT

Number	Finish of Glass	Wattage	Code
660-R	Rose	75	Cork
660-G	Green	75	Corn
660-A	Golden Amber	75	Cove
660-I	Ivory	75	Crib
660-B	Sky Blue	75	Crop

Diameter of glass 9½"

Length overall 9½"

Fixture finished in Ivory with Gold knobs

Packed individually 6 to case

Weight 25-lbs. packed

The above Semi-Indirects are the very latest in residential lighting and as they are offered in a variety of colors it enables the user to apply to any decorative scheme.

J. S. N.

Jeannette Staple Glassware



No. 452 IES approved shade . . . Cafe
Diameter 8" Fitter 2 1/4"
Packed 6 to carton
Weight 12-lbs. packed

Number Fitter Code
591 2 5/8" Cane
Diameter 9 3/8"
554 2 5/8" Card
555 2 7/8" Care
Diameter 10"
IES approved shade
All straight shanked fitter
Packed 6 to carton
Weight 15-lbs. packed

Number Fitter Code
552 2 1/4" Cake
553 3 1/4" Call
556 2 7/8" Calm
IES approved shade
Diameter 10"
Packed 6 to carton
Weight 15-lbs. packed



No. 1008 Kitchen unit . . . Came
Diameter 8 1/2" Fitter 4"
Packed 12 to carton
Weight 25-lbs. packed

No. 533 Came
Diameter 9" Depth 3"
Fitter 7"
Packed 12 to carton
Weight 14-lbs. packed

No. 2 Kitchen unit Camp
Diameter 8 1/2" Fitter 4"
Packed 12 to carton
Weight 20-lbs. packed



OPAL BALLS

Number	Diam.	Fitter	No. to Carton	Weight	Code
R-6	6"	3 1/4"	27	26-lbs.	Cart
R-7	7"	3 1/4"	12	19-lbs.	Case
R-8	8"	4"	12	25-lbs.	Cash

SEMI-FLAT OPAL REFLECTORS

Number	Diam.	Fitter	No. to Carton	Weight	Code
106	7"	2 1/4"	54	52-lbs.	Cask
108	8"	2 1/4"	36	42-lbs.	Cave
110	9"	2 1/4"	24	36-lbs.	Cell
112	11"	2 1/4"	12	25-lbs.	Chew

All items shown on this page are made from our highest quality "TENSOLITE" glass.

Jeannette Staple Glassware




OPAL RIBBED BALL

Code

No. 576 Black lines Hawk
 No. 576 Green lines Haze
 (Specify color)

Diameter 6" Fitter 3 1/4"

Packed 27 to carton
 Weight 28-lbs. packed



EXIT

Code

No. 522 Exit One side Head
 No. 523 Exit Two sides Hero

Diameter 6" Fitter 3 1/4"

Opal glass lettering in RED

Packed 27 to carton
 Weight 26-lbs. packed



OPAL RIBBED BALL

Code

No. 575 Black lines Hide
 No. 575 Green lines High
 (Specify color)

Diameter 6" Fitter 3 1/4"

Packed 27 to carton
 Weight 28-lbs. packed




OPAL HALF SHADE

Code

No. 104 Hill
 Fitter 2 1/4"

Packed 36 to carton
 Weight 30-lbs. packed



OPAL HALF SHADE

Code

No. 101 Hire
 Fitter 2 1/4"

Packed 36 to carton
 Weight 30-lbs. packed



OPAL HALF SHADE

Code

No. 103 Hold
 Fitter 2 1/4"

Packed 36 to carton
 Weight 25-lbs. packed



OPAL BELL SHADE

Code

No. 214 Home
 Diameter 6" Fitter 2 1/4"

Packed 36 to carton
 Weight 25-lbs. packed




OPAL BELL SHADE

Code

No. 114 Hood
 Width 6" Fitter 2 1/4"
 Packed 72 to carton
 Weight 44-lbs. packed

No. 116 Hope
 Width 7" Fitter 2 1/4"
 Packed 48 to carton
 Weight 44-lbs. packed



OPAL HALF SHADE

Code

No. 374 Horn
 Fitter 2 1/4"

Packed 36 to carton
 Weight 25-lbs. packed

All items on this page are made from our HIGHEST QUALITY TENSOLITE GLASS

J. S. n

Jeannette Corona

24/40



24/70



24/60



24/80

Number with Fixture	Code	Number Glass Only	Code
24-40	Bray	40	Brig
24-60	Brit	60	Brow
24-70	Buck	70	Buff
24-80	Bulb	80	Bull

Opal globe, black line, chrome holder
 Rose colored globe with ivory holder
 Gold colored globe with ivory holder
 Green colored globe with ivory holder

The "CORONA" has a maximum spread of 11" and the globe has 4" fitter.

Glass with fixture is packed individually 4 to case and weighs 25-lbs. packed.

Glass only is packed individually 6 to case and weighs 27-lbs. packed.

When not lighted the "CORONA" ring has a soft etched effect but when the artificial light is turned on the ring picks up and is ALL-AGLOW with the predominating color of the globe. The decorations on this line are very artistic and same has proven a wonderful number.

The "CORONA" is used in BEDROOMS, BREAKFAST-NOOKS and SUNROOMS.

The No. 24-40 is especially adaptable for Kitchens and Bathrooms.

Jeannette Crystal Bottom Units



No. 519 Plain white Code
 Diameter 9½" Boss
 Fitter 6" Depth 12"
 Packed 1 to carton
 Weight 7-lbs. packed



No. 519-D Black decoration Code
 Diameter 9½" Bout
 Fitter 6" Depth 12"
 Packed 1 to carton
 Weight 7-lbs. packed

Above units furnished with Chrome connecting band.



No. 518-C Enamel top crystal bottom Code
 Diameter 8½" Bowl
 Fitter 4" Depth 7"
 Packed 12 to carton
 Weight 28-lbs. packed



No. 517 Plain white Code
 Diameter 8" Brag
 Fitter 4" Depth 8½"
 Packed individually 12 to case
 Weight 44-lbs. packed



No. 517-D Black decoration Code
 Diameter 8" Bran
 Fitter 4" Depth 8½"
 Packed individually 12 to case
 Weight 44-lbs. packed

All opal top crystal bottom units are made from our highest quality "TENSOLITE" glass and the bottoms from our water clear crystal glass except No. 518-C which has a weather resisting enamel fired into the glass with the water clear bottom.

J. S. N.

Jeannette Cavalier

Number with Fixture	Code	Number Glass Only	Code	
24-41	Bisk	41	Blue	Opal globe black line with chrome holder
24-61	Bite	61	Blur	Rose colored globe with ivory holder
24-71	Blab	71	Boat	Gold colored globe with ivory holder
24-81	Blot	81	Body	Green colored globe with ivory holder
501	Blow	Enamel background gold center

The "CAVALIER" has a spread of 10 $\frac{1}{2}$ " and the globe has a 4" fitter. The No. 501 bowl has a 9" spread. Glass with fixture is packed individually 4 to case and weighs 25-lbs. packed.

Glass only is packed individually 6 to case and weighs 27-lbs. packed.

The No. 501 bowl fixture is packed individually 6 to case and weighs 25-lbs. packed.

When the Cavalier is not lighted the prismatic ring has a soft frosted effect but when the artificial light is turned on it picks up and is all-aglow with the predominating color of the globe.

This line is especially adaptable for BEDROOM, BREAKFAST-ROOM and SUNROOM.

Jeannette Lafayette

FOR COMMERCIAL LIGHTING



PLAIN WHITE

Number	Diameter	Depth	Fitter	Code
1814	14"	8"	6"	Bump
1816	16"	10½"	6"	Bunk



BLACK DECORATION

Number	Diameter	Depth	Fitter	Code
1814-A	14"	8"	6"	Bush
1816-A	16"	10½"	6"	Bust

No. 1814 is packed 2 per carton. Weight 10-lbs.

No. 1816 is packed 1 per carton. Weight 8-lbs.

The "LAFAYETTE" line is made from our highest quality TENSOLITE opal glass. The decoration on this line is fired into the glass making it a part thereof.




BLACK DECORATION

Number	Diameter	Depth	Fitter	Code
1812-A	12"	7¾"	6"	Butt
1809-A	9"	6½"	4"	Busy

No. 1812 is packed 4 per carton. Weight 15-lbs.

No. 1809 is packed 8 per carton. Weight 15-lbs.



PLAIN WHITE

Number	Diameter	Depth	Fitter	Code
1812	12"	7¾"	6"	Bury
1809	9"	6½"	4"	Burn

J^oson*Jeannette Belvidere*

FOR COMMERCIAL LIGHTING




PLAIN WHITE

No. 516 Code
 Length 16" Bear
 Diameter 10½"
 Fitter 6"
 Packed 1 to carton
 Weight 8-lbs. packed



BLACK DECORATION

No. 516-D Code
 Length 16" Bear
 Diameter 10½"
 Fitter 6"
 Packed 1 to carton
 Weight 8-lbs. packed




PLAIN WHITE

No. 512 Code
 Diameter 12" Beau
 Length 10½"
 Fitter 6"
 Packed 1 to carton
 Weight 6-lbs. packed



BLACK DECORATION

No. 512-D Code
 Diameter 12" Bear
 Length 10½"
 Fitter 6"
 Packed 1 to carton
 Weight 6-lbs. packed



PLAIN WHITE

No. 509 Code
 Diameter 8½" Beet
 Length 8"
 Fitter 4"
 Packed 8 to carton
 Weight 19-lbs. packed




BLACK DECORATION

No. 509-D Code
 Diameter 8½" Bell
 Length 8"
 Fitter 4"
 Packed 8 to carton
 Weight 19-lbs. packed

Jeannette Staunton

FOR COMMERCIAL LIGHTING



Made from

JEANNETTE "SUNBEAM" GLASS

Number	Width	Depth	Fitter	Wattage	No. to Carton	Weight Packed	Code
1708	8½"	6½"	4"	75 to 100	12 only	20-lbs.	Hour
1709	9"	6¾"	4"	100 to 150	12 only	23-lbs.	Cute
1710	10"	6¾"	4"	100 to 150	8 only	20-lbs.	Davy
1712	12"	7¾"	6"	150 to 200	4 only	15-lbs.	Daze
1714	14"	8¼"	6"	200 to 300	2 only	11-lbs.	Dean
1716	16"	9"	6"	300 to 500	2 only	15-lbs.	Deep

The "STAUNTON" Line is a quality product popularly priced made from our "Sunbeam" glass.

J^son

Jeannette Staple Glassware



The ALL-IN-ONE is especially adaptable where sanitation is desired for no DUST or dirt can get inside. It is made of one solid piece of opal "TENSOLITE" glass.

Wired complete

U. S. Patent No. 1768322

100 or 150 Watt

ALL-IN-ONE

Code

- No. K-1 Plain white keyless Bolt
No. K-2 Plain white pullchain Bolt

Diameter 8½" Depth overall 8½"

Packed individually 6 to case
Weight 25-lbs. packed




ALL-IN-ONE

Code

- No. G-1 Plain white keyless Bolt
No. G-2 Plain white pullchain Bomb

Diameter 9" Depth overall 9"

Packed individually 6 to case
Weight 25-lbs. packed



For use in Kitchens and bathrooms. Made from opal "TENSOLITE" glass and the colored lines are fired into the glass on No. 282.

Wired complete

- No. 282-G Green line Bond
No. 282-O Orchid line Bone

Chrome plated holders wired complete
Diameter of glass 8½" Fitter 4"


Packed individually 6 to case
Weight 21-lbs. packed



- No. 1008-25 Plain white keyless Book
No. 1008-25 Plain white pullchain Boot

White enamel holders wired complete
Diameter of glass 8½" Fitter 4"

Packed individually 6 to case
Weight 22-lbs. packed



No. 26-101 is for use over sink in Kitchen, also either beside mirror in bathroom or over top.

No. 23-350 is used on the porch or in the hall.

Code

- No. 26-101 Complete Bora

Chrome plated holder wired pullchain
Opal "TENSOLITE" half shade
Packed individually 12 to case
Weight 23-lbs. packed



- No. 23-350 Complete Born

Black enamel holder wired keyless
6" Hexagon amber ball
Packed individually 12 to case
Weight 35-lbs. packed

Jeannette Cut Glassware



Code

No. 425-145-C	As shown	Deft
No. 425-145-A		Diet
No. 425-145-B		Dime
No. 425-145-E		Dire
No. 425-145-K		Dive
No. 425-145-M		Dock

Height 6 $\frac{3}{4}$ " Width 3 $\frac{1}{4}$ "

Fitter 1 $\frac{5}{8}$ "

Packed 24 to carton

Weight 13-lbs. packed



Code

No. 425-141-A	As shown	Dodo
No. 425-141-E		Done
No. 425-141-K		Door
No. 425-141-B		Dope
No. 425-141-C		Dose
No. 425-141-M		Down

Height 6 $\frac{3}{4}$ " Width 3 $\frac{1}{4}$ "

Fitter 1 $\frac{5}{8}$ "

Packed 24 to carton

Weight 13-lbs. packed



Code

No. 425-127-X	As shown	Doze
No. 425-127-A		Drab
No. 425-127-B		Draw
No. 425-127-C		Drip
No. 425-127-E		Drum
No. 425-127-K		Hull
No. 425-127-M		Duck

Height 6 $\frac{3}{4}$ " Width 3 $\frac{1}{4}$ "

Fitter 1 $\frac{5}{8}$ "

Packed 24 to carton

Weight 13-lbs. packed



Code

No. 433-141-B	As shown	Dusk
No. 433-141-A		Each
No. 433-141-C		Earl
No. 433-141-E		East
No. 433-141-K		Easy
No. 433-141-M		Echo

Height 6" Width 3 $\frac{7}{8}$ "

Fitter 1 $\frac{5}{8}$ "

Packed 24 to carton

Weight 17-lbs. packed



Code


No. 433-127-E	As shown	Eden
No. 433-127-A		Edge
No. 433-127-B		Envy
No. 433-127-C		Ever
No. 433-127-K		Face
No. 433-127-M		Fact

Height 6" Width 3 $\frac{7}{8}$ "

Fitter 1 $\frac{5}{8}$ "

Packed 24 to carton

Weight 17-lbs. packed



Code

No. 430-133-X	As shown	Fade
No. 430-133-A		Fair
No. 430-133-B		Fake
No. 430-133-C		Fall
No. 430-133-E		Fame
No. 430-133-K		Farm
No. 430-133-M		Fast

Height 5 $\frac{3}{8}$ " Width 4"

Fitter 1 $\frac{5}{8}$ "

Packed 24 to carton

Weight 14-lbs. packed



Code


No. 433-425-E	As shown	Duel
No. 433-425-C		Dull

Height 6" Width 3 $\frac{7}{8}$ "

Fitter 1 $\frac{5}{8}$ "

Packed 24 to carton

Weight 17-lbs. packed



Code

No. 51-142-E	As shown	Fear
No. 51-142-A		Feet
No. 51-142-K		Fern

Height 6 $\frac{3}{4}$ " Width 4 $\frac{1}{4}$ "

Fitter 2 $\frac{5}{8}$ "

Packed 24 to carton

Weight 19-lbs. packed

These shades are made from our water clear crystal glass and the cutting is done by hand, by the highest type of craftsman obtainable.

SYMBOL FOR FINISHES

- The letter "A" indicates the shade will be furnished all frosted plain top.
 The letter "B" indicates the shade will be furnished all frosted crimped top.
 The letter "C" indicates the shade will be furnished $\frac{3}{4}$ frosted crimped top.
 The letter "E" indicates the shade will be furnished $\frac{3}{4}$ frosted plain top.
 The letter "K" indicates the shade will be furnished clear plain top.
 The letter "M" indicates the shade will be furnished clear crimped top.
 The letter "X" indicates the shade will be furnished with special finish as shown.

J. S. N.

Jeannette Cut Glassware



	Code
No. 432-141-C As shown . . .	Fete
No. 432-141-A	Feud
No. 432-141-B	Fill
No. 432-141-E	Find
No. 432-141-K	Fire
No. 432-141-M	Firm

Height 6" Width 3 $\frac{7}{8}$ "
 Fitter 2 $\frac{1}{4}$ "
 Packed 24 to carton
 Weight 16-lbs. packed



	Code
No. 429-145-C As shown . . .	Gave
No. 429-145-B	Gill
No. 429-145-M	Give
No. 429-145-A	Girl
No. 429-145-E	Glee
No. 429-145-K	Glow

Height 4 $\frac{3}{4}$ " Width 4"
 Fitter 2 $\frac{1}{4}$ "
 Packed 24 to carton
 Weight 14-lbs. packed




	Code
No. 430-141-A As shown . . .	Fish
No. 430-141-E	Flaw
No. 430-141-K	Flit
No. 430-141-C	Foam
No. 430-141-B	Fold
No. 430-141-M	Font

Height 5 $\frac{3}{8}$ " Width 4"
 Fitter 1 $\frac{5}{8}$ "
 Packed 24 to carton
 Weight 14-lbs. packed



	Code
No. 496-146-C As shown . . .	Glue
No. 496-146-A	Gnat
No. 496-146-B	Goal
No. 496-146-E	Gold
No. 496-146-K	Golf
No. 496-146-M	Gone

Height 6" Width 4"
 Fitter 2 $\frac{5}{8}$ "
 Packed 24 to carton
 Weight 15-lbs. packed




	Code
No. 430-145-B As shown . . .	Foot
No. 430-145-A	Form
No. 430-145-C	Free
No. 430-145-E	Fuel
No. 430-145-K	Fund
No. 430-145-M	Fuse

Height 5 $\frac{3}{8}$ " Width 4"
 Fitter 1 $\frac{5}{8}$ "
 Packed 24 to carton
 Weight 14-lbs. packed



	Code
No. 544-151-C As shown . . .	Good
No. 544-151-A	Gown
No. 544-151-B	Grab
No. 544-151-E	Grip
No. 544-151-K	Gull
No. 544-151-M	Hack

Height 5 $\frac{1}{4}$ " Width 4"
 Fitter 1 $\frac{5}{8}$ "
 Packed 24 to carton
 Weight 13-lbs. packed



	Code
No. 429-147-K As shown . . .	Gage
No. 429-147-A	Gain
No. 429-147-B	Gale
No. 429-147-C	Game
No. 429-147-E	Gang
No. 429-147-M	Gate

Height 4 $\frac{3}{4}$ " Width 4"
 Fitter 2 $\frac{1}{4}$ "
 Packed 24 to carton
 Weight 14-lbs. packed



	Code
No. 725-146-A As shown . . .	Hair
No. 725-146-C	Hall
No. 725-146-B	Hand
No. 725-146-E	Hard
No. 725-146-K	Harp
No. 725-146-M	Have

Height 5 $\frac{1}{4}$ " Width 3 $\frac{1}{2}$ "
 Fitter 1 $\frac{5}{8}$ "
 Packed 24 to carton
 Weight 13-lbs. packed

These shades are made from our water clear crystal glass and the cutting is done by hand by the highest type of craftsman obtainable.

SYMBOL FOR FINISHES

The letter "A" indicates the shade will be furnished all frosted plain top.
 The letter "B" indicates the shade will be furnished all frosted crimped top.
 The letter "C" indicates the shade will be furnished $\frac{3}{4}$ frosted crimped top.
 The letter "E" indicates the shade will be furnished $\frac{3}{4}$ frosted plain top.
 The letter "K" indicates the shade will be furnished clear plain top.
 The letter "M" indicates the shade will be furnished clear crimped top.

*J*N compiling this catalog we did not attempt to illustrate all the items we manufacture. We have endeavored to arrange a complete, concise distributors set-up which will meet with favor by your dealers and customers.

We manufacture all types of pressed or blown glassware, send us your inquiries on any private mold items as we are always pleased to quote.

Due to the fact that our cartons are designed to surpass all carriers requirements our responsibility ceases when we receive receipts that our shipments have been delivered to them in good condition.

In case of loss or damage if the consignee will secure a bad order report from the carrier we will support same with any papers necessary so there will be no difficulty in having the claim paid.

Any merchandise returned without our authority will not be accepted.

When an order is sent us by a concern not already established with us on an open account basis or is not satisfactorily rated in Dun-Bradstreet mercantile book we suggest you send us a financial statement, names of concerns with which you now do business as reference or if you prefer you may send us 25% of the order as a cash deposit and accept the balance C. O. D.

An extra charge will be made on all orders for less than standard package quantities

All contracts and agreements are contingent upon strikes, accidents and occurrences beyond our control. All quotations are made for immediate acceptance. All orders and contracts subject to approval of home office at Jeannette, Pa.



J. S. N.

Price List and Numerical Index

... FOR ...

CATALOG No. 35

JEANNETTE SHADE AND NOVELTY CO., JEANNETTE, PA.

MAY 1, 1937

Terms:—1% 15 Days. Net 30 Days. All Prices F. O. B. Factory.

All Prices are Subject to Change Without Notice.

Number	Page	Price Each	Number	Page	Price Each	Number	Page	Price Each
G-1	27	\$ 4.05	61	23	4.95	425-141-E . . .	28	1.11
K-1	27	3.00	70	21	4.95	425-141-K . . .	28	1.05
2	9	.90	71	23	4.95	425-141-M . . .	28	1.14
2	19	.90	80	21	4.95	425-145-A . . .	28	1.05
G-2	27	4.80	81	23	4.95	425-145-B . . .	28	1.26
K-2	27	3.75	83	14	4.50	425-145-C . . .	28	1.26
4	9	1.65	101	20	.75	425-145-E . . .	28	1.11
6	9	2.82	103	20	.75	425-145-K . . .	28	1.05
R-6	19	.63	104	20	.75	425-145-M . . .	28	1.17
R-7	19	.81	106	19	.81	429-145-A . . .	29	1.05
8	9	3.63	108	19	1.11	429-145-B . . .	29	1.20
R-8	19	.99	110	19	1.29	429-145-C . . .	29	1.20
10	9	5.34	112	19	1.68	429-145-E . . .	29	1.05
23-350	27	1.50	114	20	.60	429-145-K . . .	29	1.05
24-40	21	4.50	116	20	.81	429-145-M . . .	29	1.08
24-41	23	4.50	214	20	.60	429-147-A . . .	29	1.17
24-60	21	5.85	282-G	27	2.40	429-147-B . . .	29	1.32
24-61	23	5.85	282-O	27	2.40	429-147-C . . .	29	1.32
24-70	21	5.85	374	20	.75	429-147-E . . .	29	1.23
24-71	23	5.85	425-127-X . . .	28	1.35	429-147-K . . .	29	1.17
24-80	21	5.85	425-127-A . . .	28	1.02	429-147-M . . .	29	1.26
24-81	23	5.85	425-127-B . . .	28	1.14	430-133-A . . .	28	1.02
26-101	27	2.25	425-127-C . . .	28	1.14	430-133-B . . .	28	1.14
40	21	3.60	425-127-E . . .	28	1.05	430-133-C . . .	28	1.14
41	23	3.60	425-127-K . . .	28	1.02	430-133-E . . .	28	1.05
51-142-A	28	1.35	425-127-M . . .	28	1.08	430-133-K . . .	28	1.02
51-142-E	28	1.41	425-141-A . . .	28	1.05	430-133-M . . .	28	1.08
51-142-K	28	1.35	425-141-B . . .	28	1.20	430-133-X . . .	28	1.35
60	21	4.95	425-141-C . . .	28	1.20	430-141-A . . .	29	1.05

PRICE LIST and NUMERICAL INDEX—Continued

Number	Page	Price Each	Number	Page	Price Each	Number	Page	Price Each
430-141-B . . .	29	1.20	516-D . . .	25	7.92	679-EC Black . . .	17	1.35
430-141-C . . .	29	1.26	517 . . .	22	1.95	679-EC Blue . . .	17	1.35
430-141-E . . .	29	1.05	517-D . . .	22	2.70	679-EC Green . . .	17	1.35
430-141-K . . .	29	1.05	518-C . . .	22	1.50	679-EC Red . . .	17	1.35
430-141-M . . .	29	1.08	519 . . .	22	3.00	681 White . . .	18	.90
430-145-A . . .	29	1.05	519-D . . .	22	4.05	681-EC . . .	16	1.50
430-145-B . . .	29	1.20	522 . . .	20	1.92	681-EC Black . . .	17	1.80
430-145-C . . .	29	1.26	523 . . .	20	2.25	681-EC Blue . . .	17	1.80
430-145-E . . .	29	1.05	533 . . .	19	1.95	681-EC Green . . .	17	1.80
430-145-K . . .	29	1.03	537 . . .	5	16.50	681-EC Red . . .	17	1.80
430-145-M . . .	29	1.08	544-151-A . . .	29	.99	682-EC . . .	16	4.50
432-141-A . . .	29	1.05	544-151-B . . .	29	1.05	682-EC Black . . .	17	5.25
432-141-B . . .	29	1.20	544-151-C . . .	29	1.05	682-EC Blue . . .	17	5.25
432-141-C . . .	29	1.20	544-151-E . . .	29	.99	682-EC Green . . .	17	5.25
432-141-E . . .	29	1.11	544-151-K . . .	29	.99	682-EC Red . . .	17	5.25
432-141-K . . .	29	1.05	544-151-M . . .	29	1.05	725-146-A . . .	29	.99
432-141-M . . .	29	1.14	552 . . .	19	1.86	725-146-B . . .	29	1.05
433-127-A . . .	28	1.02	553 . . .	19	1.86	725-146-C . . .	29	1.05
433-127-B . . .	28	1.14	554 . . .	19	1.86	725-146-E . . .	29	.99
433-127-C . . .	28	1.14	555 . . .	19	1.86	725-146-K . . .	29	.99
433-127-E . . .	28	1.05	556 . . .	19	1.86	725-146-M . . .	29	1.05
433-127-K . . .	28	1.02	567 . . .	5	12.45	793-A . . .	13	5.25
433-127-M . . .	28	1.08	575-B . . .	20	1.20	793-F . . .	13	5.25
433-141-A . . .	28	1.05	575-G . . .	20	1.20	793-G . . .	13	5.25
433-141-B . . .	28	1.20	576-B . . .	20	1.20	793-I . . .	13	5.25
433-141-C . . .	28	1.20	576-G . . .	20	1.20	793-R . . .	13	5.25
433-141-E . . .	28	1.11	591 . . .	19	1.77	794-A . . .	15	6.00
433-141-K . . .	28	1.05	595 . . .	14	4.50	794-F . . .	15	6.00
433-141-M . . .	28	1.14	596 . . .	14	8.55	794-G . . .	15	6.00
433-425-E . . .	28	1.02	597 . . .	14	10.50	794-I . . .	15	6.00
433-425-C . . .	28	1.02	599 . . .	14	5.85	794-R . . .	15	6.00
434 . . .	7	11.25	608 . . .	14	6.45	1008 . . .	19	.90
437 . . .	7	11.25	610 . . .	14	9.00	1008-25 Keyless . . .	27	1.80
452 . . .	19	1.44	612 . . .	14	10.50	1008-25 Pullchain . . .	27	2.10
496-146-A . . .	29	1.02	614 . . .	14	12.75	1608 . . .	11	.90
496-146-B . . .	29	1.14	660-A . . .	18	3.90	1610 . . .	11	1.65
496-146-C . . .	29	1.14	660-B . . .	18	3.90	1612 . . .	11	2.82
496-146-E . . .	29	1.02	660-G . . .	18	3.90	1614 . . .	11	3.63
496-146-K . . .	29	1.02	660-I . . .	18	3.90	1616 . . .	11	5.34
496-146-M . . .	29	1.08	660-R . . .	18	3.90	1618 . . .	11	8.25
501 . . .	23	5.25	678 White . . .	18	.75	1620 . . .	11	14.85
509 . . .	25	1.20	678-EC . . .	16	1.05	1708 . . .	26	.75
509-D . . .	25	2.10	678-EC Black . . .	17	1.35	1709 . . .	26	.90
510 . . .	2	13.05	678-EC Blue . . .	17	1.35	1710 . . .	26	1.35
511 . . .	2	13.65	678-EC Green . . .	17	1.35	1712 . . .	26	2.10
512 . . .	25	3.81	678-EC Red . . .	17	1.35	1714 . . .	26	2.85
512-D . . .	25	5.46	679 White . . .	18	.75	1716 . . .	26	3.75
516 . . .	25	5.61	679-EC . . .	16	1.05	1809 . . .	24	1.35



PRICE LIST and NUMERICAL INDEX—Continued

Number	Page	Price Each	Number	Page	Price Each	Number	Page	Price Each
1809-A	24	2.16	2108	12	2.04	2208	3	.90
1812	24	3.15	2110	12	3.09	2212	3	2.82
1812-A	24	4.95	2112	12	4.05	2214	3	3.63
1814	24	4.05	2114	12	6.21	2216	3	5.34
1814-A	24	6.30	2116	12	7.83	3042-B	14	7.80
1816	24	5.40	2118	12	11.13	3042-P	14	7.80
1816-A	24	7.65	2120	12	22.95	3042-W	14	7.80

ADDITIONAL PRICE INFORMATION

If any of the SEMI-INDIRECT commercial fixtures such as EYE-DEAL-LITE (No. 434 and 437), LUSTRALITE (No. 510 and 511) or VISUALITE (No. 537 and 567) are desired either LONGER or SHORTER than the STANDARD lengths as listed, add \$.72 per foot or fraction thereof to the list price.

When any fixture is desired with the special mogul socket and switch for use with the new mazda 3-light lamps add \$3.00 each to the list price.

If fixtures are desired with MOGUL socket when MEDIUM BASE socket is listed add \$.60 each to the list.

For LEVOLIER canopy switch add \$1.35 each list.

For LEVITON canopy switch add \$.75 each list.

The SEMI-INDIRECT commercial Bowls can be furnished with a tint on the outside such as BUFF which gives a very soft and pleasing effect, and if this tint is desired on the EYE-DEAL LITE- add \$2.55 each list. For the VISUALITE add \$2.55 each list for the 16" and \$4.50 each list for the 18". For the tint on the LUSTRALITE bowls add \$1.50 each list.

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

J^oson

Revised - Price List and Numerical Index

... FOR ...

CATALOG No. 35

SUPERSEDING ALL PREVIOUS PRICE LISTS AND PRICE QUOTATIONS

JEANNETTE SHADE AND NOVELTY CO., JEANNETTE, PA.

EFFECTIVE SEPT. 25, 1937

Terms:—1% 15 Days. Net 30 Days. All Prices F. O. B. Factory.

All Prices are subject to Change Without Notice.

Number	Page	Price Each	Number	Page	Price Each	Number	Page	Price Each
G-1	27	\$ 4.26	61	23	\$ 5.19	425-141-E	28	\$ 1.17
K-1	27	3.15	70	21	5.19	425-141-K	28	1.11
2	9	.96	71	23	5.19	425-141-M	28	1.20
2	19	.96	80	21	5.19	425-145-A	28	1.11
G-2	27	5.04	81	23	5.19	425-145-B	28	1.32
K-2	27	3.93	83	14	4.74	425-145-C	28	1.32
4	9	1.74	101	20	.78	425-145-E	28	1.17
6	9	2.97	103	20	.78	425-145-K	28	1.11
R-6	19	.66	104	20	.78	425-145-M	28	1.23
R-7	19	.84	106	19	.84	429-145-A	29	1.11
8	9	3.81	108	19	1.17	429-145-B	29	1.26
R-8	19	1.05	110	19	1.35	429-145-C	29	1.26
10	9	5.61	112	19	1.77	429-145-E	29	1.11
23-350	27	1.59	114	20	.63	429-145-K	29	1.11
24-40	21	4.74	116	20	.84	429-145-M	29	1.14
24-41	23	4.74	214	20	.63	429-147-A	29	1.23
24-60	21	6.15	282-G	27	2.52	429-147-B	29	1.38
24-61	23	6.15	282-O	27	2.52	429-147-C	29	1.38
24-70	21	6.15	374	20	.78	429-147-E	29	1.29
24-71	23	6.15	425-127-X	28	1.41	429-147-K	29	1.23
24-80	21	6.15	425-127-A	28	1.08	429-147-M	29	1.32
24-81	23	6.15	425-127-B	28	1.20	430-133-A	28	1.08
26-101	27	2.37	425-127-C	28	1.20	430-133-B	28	1.20
40	21	3.78	425-127-E	28	1.11	430-133-C	28	1.20
41	23	3.78	425-127-K	28	1.08	430-133-E	28	1.11
51-142-A	28	1.41	425-127-M	28	1.14	430-133-K	28	1.08
51-142-E	28	1.47	425-141-A	28	1.11	430-133-M	28	1.14
51-142-K	28	1.41	425-141-B	28	1.26	430-133-X	28	1.41
60	21	5.19	425-141-C	28	1.26	430-141-A	29	1.11

REVISED PRICE LIST and NUMERICAL INDEX—Continued

Number	Page	Price Each	Number	Page	Price Each	Number	Page	Price Each
430-141-B . . .	29	\$ 1.26	516-D . . .	25	\$ 8.31	679-EC Black . .	17	1.41
430-141-C . . .	29	1.32	517 . . .	22	2.04	679-EC Blue . .	17	1.41
430-141-E . . .	29	1.11	517-D . . .	22	2.85	679-EC Green . .	17	1.41
430-141-K . . .	29	1.11	518-C . . .	22	1.59	679-EC Red . .	17	1.41
430-141-M . . .	29	1.14	519 . . .	22	3.15	681 White . . .	18	.96
430-145-A . . .	29	1.11	519-D . . .	22	4.26	681-EC . . .	16	1.59
430-145-B . . .	29	1.26	522 . . .	20	2.01	681-EC Black . .	17	1.89
430-145-C . . .	29	1.32	523 . . .	20	2.37	681-EC Blue . .	17	1.89
430-145-E . . .	29	1.11	533 . . .	19	2.04	681-EC Green . .	17	1.89
430-145-K . . .	29	1.11	537 . . .	5	16.50	681-EC Red . .	17	1.89
430-145-M . . .	29	1.14	544-151-A . .	29	1.05	682-EC . . .	16	4.74
432-141-A . . .	29	1.11	544-151-B . .	29	1.11	682-EC Black . .	17	5.52
432-141-B . . .	29	1.26	544-151-C . .	29	1.11	682-EC Blue . .	17	5.52
432-141-C . . .	29	1.26	544-151-E . .	29	1.05	682-EC Green . .	17	5.52
432-141-E . . .	29	1.17	544-151-K . .	29	1.05	682-EC Red . .	17	5.52
432-141-K . . .	29	1.11	544-151-M . .	29	1.11	725-146-A . . .	29	1.05
432-141-M . . .	29	1.20	552 . . .	19	1.86	725-146-B . . .	29	1.11
433-127-A . . .	28	1.08	553 . . .	19	1.86	725-146-C . . .	29	1.11
433-127-B . . .	28	1.20	554 . . .	19	1.86	725-146-E . . .	29	1.05
433-127-C . . .	28	1.20	555 . . .	19	1.86	725-146-K . . .	29	1.05
433-127-E . . .	28	1.11	556 . . .	19	1.86	725-146-M . . .	29	1.11
433-127-K . . .	28	1.08	567 . . .	5	12.45	793-A . . .	13	5.25
433-127-M . . .	28	1.14	575-B . . .	20	1.26	793-F . . .	13	5.25
433-141-A . . .	28	1.11	575-G . . .	20	1.26	793-G . . .	13	5.25
433-141-B . . .	28	1.26	576-B . . .	20	1.26	793-I . . .	13	5.25
433-141-C . . .	28	1.26	576-G . . .	20	1.26	793-R . . .	13	5.25
433-141-E . . .	28	1.17	591 . . .	19	1.77	794-A . . .	15	6.00
433-141-K . . .	28	1.11	595 . . .	14	4.50	794-F . . .	15	6.00
433-141-M . . .	28	1.20	596 . . .	14	8.55	794-G . . .	15	6.00
433-425-E . . .	28	1.08	597 . . .	14	10.50	794-I . . .	15	6.00
433-425-C . . .	28	1.08	599 . . .	14	5.85	794-R . . .	15	6.00
434 . . .	7	11.82	608 . . .	14	6.75	1008 . . .	19	.96
437 . . .	7	11.82	610 . . .	14	9.00	1008-25 Keyless .	27	1.89
452 . . .	19	1.20	612 . . .	14	10.50	1008-25 Pullchain	27	2.22
496-146-A . . .	29	1.08	614 . . .	14	12.75	1608 . . .	11	.96
496-146-B . . .	29	1.20	660-A . . .	18	3.90	1610 . . .	11	1.74
496-146-C . . .	29	1.20	660-B . . .	18	3.90	1612 . . .	11	2.97
496-146-E . . .	29	1.08	660-G . . .	18	3.90	1614 . . .	11	3.81
496-146-K . . .	29	1.08	660-I . . .	18	3.90	1616 . . .	11	5.61
496-146-M . . .	29	1.14	660-R . . .	18	3.90	1618 . . .	11	8.67
501 . . .	23	5.25	678 White . . .	18	.78	1620 . . .	11	15.60
509 . . .	25	1.26	678-EC . . .	16	1.11	1708 . . .	26	.78
509-D . . .	25	2.22	678-EC Black . .	17	1.41	1709 . . .	26	.96
510 . . .	2	13.05	678-EC Blue . .	17	1.41	1710 . . .	26	1.41
511 . . .	2	13.65	678-EC Green . .	17	1.41	1712 . . .	26	2.22
512 . . .	25	3.99	678-EC Red . .	17	1.41	1714 . . .	26	3.00
512-D . . .	25	5.73	679 White . . .	18	.78	1716 . . .	26	3.93
516 . . .	25	5.88	679-EC . . .	16	1.11	1809 . . .	24	1.41

JEANNETTE, PA.

Telephone
JEANNETTE 44

IMPORTANT PRICE CHANGES IN CATALOG No. 35

No. 7940-R	Rose glass with all ivory fixture	\$ 3.30
No. 7940-G	Green " " " " "	3.30
No. 7940-A	Amber " " " " "	3.30
No. 7940-I	Ivory " " " " "	3.30
No. 7940-F	French crystal glass with all ivory fixture	3.30

JEANETTE SHADE AND NOVELTY CO

JEANETTE PA

IMPORTANT PRICE CHANGES IN CATALOG No. 33

PRICE No.

PLATE No. 1

No. 184 The Dwellers Complete	100
No. 185 " " " " " "	100

PLATE No. 12

No. 186 " " " " " "	100
No. 187 " " " " " "	100

PLATE No. 11

No. 188 Complete	100
No. 189 " " " " " "	100
No. 190 " " " " " "	100
No. 191 " " " " " "	100

PLATE No. 13

GENERAL NOTE

It is the policy of the company to keep the prices of the various plates as low as possible. In the event of a change in the price of any of the plates, the new price will be printed in the catalog. The prices of the plates are subject to change without notice.

No. 192 Rose	100
No. 193 " " " " " "	100
No. 194 " " " " " "	100
No. 195 " " " " " "	100
No. 196 " " " " " "	100

J^{son}

REVISED PRICE LIST and NUMERICAL INDEX—Continued

Number	Page	Price Each	Number	Page	Price Each	Number	Page	Price Each
1809-A	24	2.28	2108	12	2.13	2208	3	.96
1812	24	3.30	2110	12	3.24	2212	3	2.97
1812-A	24	5.19	2112	12	4.26	2214	3	3.81
1814	24	4.26	2114	12	6.51	2216	3	5.61
1814-A	24	6.63	2116	12	8.22	3042-B	14	8.19
1816	24	5.67	2118	12	11.70	3042-P	14	8.19
1816-A	24	8.04	2120	12	24.09	3042-W	14	8.19

ADDITIONAL PRICE INFORMATION

If any of the SEMI-INDIRECT commercial fixtures such as EYE-DEAL-LITE (No. 434 and 437), LUSTRALITE (No. 510 and 511) or VISUALITE (No. 537 and 567) are desired either LONGER or SHORTER than the STANDARD lengths as listed, add \$.72 per foot or fraction thereof to the list price.

When any fixture is desired with the special mogul socket and switch for use with the new mazda 3-light lamps add \$3.00 each to the list price.

If fixtures are desired with MOGUL socket when MEDIUM BASE socket is listed add \$.60 each to the list.

For LEVOLIER canopy switch add \$1.35 each list.

For LEVITON canopy switch add \$.75 each list.

The SEMI-INDIRECT commercial Bowls can be furnished with a tint on the outside such as BUFF which gives a very soft and pleasing effect, and if this tint is desired on the EYE-DEAL-LITE add \$2.55 each list. For the VISUALITE add \$2.55 each list for the 16" and \$4.50 each list for the 18". For the tint on the LUSTRALITE bowls add \$1.50 each list.

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

J. S. N.

Jeannette Lighting

FOR BUILDINGS, SCHOOLS, STORES, OFFICES AND THE HOME

LIGHT
CONDITIONING




WITH
"TENSOLITE"

The CRUSADER Line

Made from our Highest Quality Opal "TENSOLITE" glass.

Number	Width	Depth	Fitter	Wattage	No. to Carton	Weight Packed	Price Each
2207	7"	6"	4"	75 to 100	12 only	18-lbs.	\$.81
2208	8½"	6½"	4"	75 to 100	12 only	22-lbs.	.96
2212	12"	8½"	6"	150 to 200	4 only	15-lbs.	2.97
2214	14"	9¼"	6"	200 to 300	2 only	11-lbs.	3.81
2216	16"	9¾"	6"	300 to 500	2 only	14-lbs.	5.61

No. 2207—Opal unit. \$.81 ea.
No. 2207—Lined unit. 1.20 ea.
Width 7" Depth 6" Fitter 4"
Packed 12 to carton. Weight 18-lbs.




No. 2207 and 2208

No. 2208—Opal unit. \$.96 ea.
No. 2208—Lined unit. 1.35 ea.
Width 8½" Depth 6½" Fitter 4"
Packed 12 to carton. Weight 22-lbs.



No. 2202—Opal half shade. . . \$.78 ea.
No. 2202—Lined half shade. . . 1.11 ea.
NON-GLARE, STREAMLINE DESIGN
Length 6" Width 3¼" Fitter 2¼"
Packed 36 to carton. Weight 23-lbs.
50 Watt size



No. 2204—Opal half shade. . \$1.26 ea.
No. 2204—Lined half shade. . 1.65 ea.
NON-GLARE, STREAMLINE DESIGN
Length 5½" Width 7" Fitter 2¼"
Packed 24 to carton. Weight 14-lbs.
75 Watt size

No. 2201—Opal shade. \$.54 ea.
No. 2201—Lined shade.69 ea.



Depth 4½" Width 4" Fitter 2¼"
50 Watt size
Packed 12 to carton. Weight 14 lbs.


ALL ITEMS LISTED WITH LINES ARE AVAILABLE IN RED, BLACK or GREEN. (Specify color desired)

Jeannette Lighting

SEMI-INDIRECT
FOR BUILDINGS, SCHOOLS, STORES AND OFFICES



THE VISUALITE
Fixture wired complete
(Open top bowl)
SEMI-INDIRECT



Cut out section showing how
fixture is mounted in the open
top bowl.

Made from our
Highest Quality Dense
Opal "TENSOLITE" glass

AVERAGE
LIGHT OUTPUT
87%



THE INTENSILITE
Fixture wired complete
(Open top bowl)
SEMI-INDIRECT

No.	Spread	Socket	Length	Weight	Price Each
567	16"	Medium 200 watt size	30"	12-lbs.	\$12.15
537	18"	Mogul 300 to 500 watt size	36"	15-lbs.	15.90

FIXTURES FINISHED IN SATIN PEWTER

No.	Spread	Socket	Length	Weight	Price Each
1016	16"	Medium 200 watt size	30"	12-lbs.	\$9.75
1018	18"	Mogul 300 to 500 watt size	36"	15-lbs.	13.50

FIXTURES FINISHED IN SATIN PEWTER

The SEMI-INDIRECT bowl is made from our highest quality DENSE OPAL "TENSOLITE" glass, which gives the maximum light output and the low surface brightness eliminates EYE STRAIN thereby conforming with the BETTER LIGHT, BETTER SIGHT program. Test charts available upon request.

Above fixtures packed 1 to carton.


The SEMI-INDIRECT bowl is mounted with a three point suspension hanger which has two stationary arms and one that breaks which permits easy insertion of the fixture in the bowl. The arm that breaks has a set screw that after the fixture is inserted in the bowl, locks the arm firmly so the bowl hangs securely on the three point suspension. Ball-Swivel Screw collar construction throughout.

If the No. 537 or 567 is desired either LONGER or SHORTER than the STANDARD lengths as listed, add \$.72 per foot or fraction thereof.

For LEVOLIER canopy switch add \$1.35 each list. For LEVITON canopy switch add \$.75 each list.

Jeannette Lighting

FOR BUILDINGS, SCHOOLS, STORES, OFFICES



THE DURHAM LINE
HIGHEST QUALITY OPAL GLASS

Number	Width	Depth	Fitter	Wattage	No. to Carton	Weight	Price Each
1908	8½"	6½"	4"	75 to 100	12	20-lbs.	\$.78
1910	10"	7"	4"	100 to 150	8	20-lbs.	1.41
1912	12"	7½"	6"	150 to 200	4	14-lbs.	2.22
1912-4	12"	7½"	4"	100 to 150	4	14-lbs.	2.22
1914	14"	8"	6"	150 to 200	2	11-lbs.	3.00
1916	16"	8¾"	6"	200 to 300	2	14-lbs.	3.93
1918	18"	10"	6"	300 to 500	1	12-lbs.	6.60



No. 565—Opal unit. \$.78-ea.
Width 8½" Depth 6½" Fitter 4"
Packed 12 to carton. Weight 24-lbs.




No. 709—Opal unit. \$1.20-ea.
No. 709—Opal lined. 1.65-ea.
Width 8½" Depth 7¾" Fitter 4"
Packed 12 to carton. Weight 24-lbs.
Furnished in RED, GREEN or BLACK lines
(Specify color desired)

Jeannette Lighting

FOR KITCHEN, BATHROOMS AND BREAKFAST ROOMS




THE CAVALCADE LINE



No. 678-EC.....\$1.11 ea.
Diameter 6½" Depth 5½" Fitter 2¼"
Open bottom for lamping
Packed 12 to carton. Weight 18-lbs.

No. 679-EC.....\$1.11 ea.
No. 679-EC—Lined.....1.41 ea.
Diameter 7" Depth 6" Fitter 4"
Furnished in RED, GREEN or BLACK Neoline
(Specify color desired)
Packed 12 to carton. Weight 20-lbs.

ALL FURNISHED WITH
ENAMEL BOTTOM
CLEAR FLUTED TOP
CLEAR CENTER
IN BOTTOM



The No. 682 is especially
adaptable for Offices,
Schools, Stores or Public
buildings.

No. 682-EC.....\$4.74 ea.
No. 682-EC—Lined.....5.52 ea.
Diameter 13" Depth 9" Fitter 6"
Packed 2 to carton. Weight 12-lbs.
Furnished in RED, GREEN or BLACK Neoline
(Specify color desired)



Featuring "NEOLINE" which is
something entirely different in
effect and is most desirable when a
decorative effect is desired.



No. 681-EC.....\$1.59 ea.
No. 681-EC—Lined.....1.89 ea.
Diameter 8½" Depth 6½" Fitter 4"
Furnished in RED, GREEN or BLACK Neoline
(Specify color desired)
Packed 12 to carton. Weight 28-lbs.

No. 678-EC—Lined.....\$1.41 ea.
Diameter 6½" Depth 5½" Fitter 2¼"
Open bottom for lamping
Furnished in RED, GREEN or BLACK Neoline
(Specify color desired)
Packed 12 to carton. Weight 18-lbs.

J. S. n

Jeannette Lighting

COMMERCIAL AND RESIDENTIAL




Number	Spread	Depth	Lights	No. to Carton	Weight	Price Each
595	9"	5½"	2	6	17-lbs.	\$3.75
599	11"	5¾"	2	6	25-lbs.	5.40
596	13"	6"	3	1	6-lbs.	7.95
597	15"	6½"	3	1	7-lbs.	9.90

Fixtures finished in Chromium. WIRED COMPLETE. Highest quality "TENSOLITE" glass.



No. 518-C.....\$1.59 ea.
 Enamel top, crystal bottom, one piece
 Diameter 8½" Depth 7" Fitter 4"
 Packed 12 to carton. Weight 28-lbs.



No. 517.....\$2.04 ea.
 Opal top, detachable crystal bottom
 Diameter 8" Depth 8½" Fitter 4"
 Packed individually 12 to case
 Weight 44-lbs.



No. 519—Plain white.....\$3.15 ea.
 Crystal bottom mounted with Chrome ring
 Diameter 9½" Depth 12" Fitter 6"
 Packed 1 to carton. Weight 7-lbs.




No. 519-D—Black decoration.....\$4.26 ea.
 Crystal bottom mounted with chrome ring
 Diameter 9½" Depth 12" Fitter 6"
 Packed 1 to carton. Weight 7-lbs.

Jeannette Lighting




No. 115\$.63-ea.
Diameter 6" Fitter 2 1/4"
Packed 12 to carton
Weight 15-lbs.



Number	Fitter	Price each
591	2 5/8"	\$1.41
554	Diameter 9 3/8"	1.50
555	2 5/8"	1.50
	2 7/8"	


Diameter 10"
All straight shanked fitter
Packed 6 to carton
Weight 15-lbs. packed



Number	Fitter	Price each
552	2 1/4"	\$1.50
553	3 1/4"	1.50
556	2 7/8"	1.50

Diameter 10"
Packed 6 to carton
Weight 15-lbs. packed

ABOVE SHADES FOR THE I.E.S. TYPE LAMPS



OPAL BALLS

No.	Diam.	Fitter	No. to Carton	Weight	Price Each
R-6	6"	3 1/4"	27	26-lbs.	\$.66
R-7	7"	3 1/4"	12	19-lbs.	.84
R-8	8"	4"	12	25-lbs.	1.05



SEMI-FLAT OPAL REFLECTORS

No.	Diam.	Fitter	No. to Carton	Weight	Price Each
106	7"	2 1/4"	54	52-lbs.	\$.84
108	8"	2 1/4"	36	42-lbs.	1.17
110	9"	2 1/4"	24	36-lbs.	1.35
112	11"	2 1/4"	12	25-lbs.	1.77



OPAL RIBBED BALL

Price
No. 575—Black lines\$1.26-ea.
No. 575—Green lines 1.26-ea.
(Specify color)
Diameter 6" Fitter 3 1/4"
Packed 27 to carton
Weight 28-lbs.



OPAL HALF SHADE

No. 104\$.78-ea.
Fitter 2 1/4"
Packed 36 to carton
Weight 30-lbs.



OPAL RIBBED BALL

Price
No. 576—Black lines\$1.26-ea.
No. 576—Green lines 1.26-ea.
(Specify color)
Diameter 6" Fitter 3 1/4"
Packed 27 to carton
Weight 28-lbs.

J. S. N.

Jeannette Lighting

FOR BEDROOM, BREAKFAST ROOM AND KITCHEN



SEMI-INDIRECT
TYPE

No. 856-2—Ivory and Peach glass (two tone) \$5.85 ea.

No. 856-4—Ivory enamel glass 5.85 ea.

Two light fixture finished in Ivory and Gold
Glass has clear fluted top

Spread 10" Depth overall 10"
Packed individually 6 to case
Weight 35-lbs.



No. 885-2—Ivory enamel glass \$6.75 ea.

Two light stem fixture in Ivory and Gold

The NON-GLARE, light diffusing figure in the bottom of
the above glass has a light fume of ivory.

Spread 10" Length overall 10"
Packed individually 6 to case
Weight 33-lbs.

BETTER LIGHT
BETTER SIGHT



WITH
SHADED LIGHT

No. 842-1—Ivory and Peach glass \$4.50 ea.
Fixture finished in Ivory

Spread 11½" Length overall 9½"

Packed individually 6 to case
Weight 34-lbs.
Fixture is THREE CHAIN type



ALL FIXTURES
WIRED COMPLETE

No. 851-4—Ivory enamel glass \$5.85 ea.
Gold fixture

No. 851-6—White enamel glass \$5.85 ea.
Chrome fixture

Both above fixtures have two lights
Glass has clear fluted top

Spread 11" Depth overall 7"
Packed individually 6 to case
Weight 37-lbs.



No. 876-1—White enamel glass with two lite
Chrome fixture \$6.30 ea.

No. 876-2—Ivory enamel glass with two lite
Gold fixture \$6.30 ea.


The NON-GLARE light diffusing figure on the above glass
has a fume thereon of the color as listed.

Spread 11" Depth overall 7"
Packed individually 6 to case
Weight 34-lbs.

Made from our WATER CLEAR crystal glass with all colors fired in.

Jeannette Lighting

FOR BEDROOM, BREAKFAST ROOM AND KITCHEN




No. 785-P—Peach glass.....\$2.55 ea.
 No. 785-S—Satin frosted glass..... 2.55 ea.
 Fixtures finished in Ivory
 Spread 9½" Depth overall 8½"
 Packed individually 6 to case
 Weight 25-lbs.
 Fixtures are THREE CHAIN type

SEMI-INDIRECT
TYPE

Colors that assure you of a
selection for any decor-
ative scheme.



No. 793-I—Ivory glass.....\$4.05 ea.
 No. 793-F—French crystal glass..... 4.05 ea.
 Fixtures finished in Ivory with gold knobs
 Spread 10½" Depth overall 9½"
 Packed individually 4 to case
 Weight 20-lbs.
 Fixtures are of the HARP type




No. 7940-I—Ivory glass.....\$3.30 ea.
 No. 7940-F—French crystal glass..... 3.30 ea.
 Fixture finished in Ivory
 Spread 10½" Depth overall 9½"
 Packed individually 4 to case
 Weight 20-lbs.
 Fixtures are THREE CHAIN type

PLEASING - EFFICIENT
POPULAR PRICED



No. 43/M—Plain cream glass only.....\$3.00 ea.
 No. 43 ML—Lined cream glass only..... 3.60 ea.
 No. 24/43/M—Plain cream glass with fixture..... 3.90 ea.
 No. 24. 43. ML—Lined cream glass with fixture..... 4.50 ea.

Furnished in RED, GREEN or BLACK lines (Specify color desired)
 Globe and ring made from CREAM glass. Spread 11". Glass has 4" fitter.
 Glass only packed individually 6 to case. Weight 24-lbs.
 Glass with fixture packed individually 4 to case. Weight 22-lbs.
 Fixtures finished in Ivory. Wired keyless.



No. 818—Opal unit.....\$.96 ea.
 No. 818—Opal lined..... 1.35 ea.
 Width 8½" Depth 6½" Fitter 4"

Packed 12 to carton. Weight 24-lbs.
 Furnished in RED, GREEN or BLACK lines
 (Specify color desired)

J^on*Jeannette Viking*

FOR COMMERCIAL LIGHTING



Made from

HIGHEST QUALITY TENSOLITE GLASS

Number	Width	Depth	Fitter	Wattage	No. to Carton	Weight packed	Price Each
1209	9"	7"	4"	75 to 150	12 only	22-lbs.	\$1.11
1212	12"	8 $\frac{3}{4}$ "	6"	150 to 200	4 only	15-lbs.	2.97
1212-4	12"	8 $\frac{3}{4}$ "	4"	100 to 150	4 only	15-lbs.	2.97
1214	14"	10 $\frac{1}{4}$ "	6"	200 to 300	2 only	11-lbs.	3.81
1216	16"	11 $\frac{7}{8}$ "	6"	300 to 500	1 only	8-lbs.	5.61

THE VIKING IS AN ATTRACTIVELY DESIGNED UNIT MADE FROM OUR HIGHEST QUALITY "TENSO-LITE" GLASS. THE LOW SURFACE BRIGHTNESS ELIMINATES GLARE THEREBY MAKING THIS LINE MOST DESIRABLE FOR OFFICES, STORES, SCHOOLS OR PUBLIC BUILDINGS.

See Page 2 for Test Chart

Manufactured by

Jeannette Shade & Novelty Co.

JEANNETTE, PENNSYLVANIA

ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 140749

ORDER NO. 64596-S

PLATE NO. 29405

CANDLEPOWER DISTRIBUTION


No.1214 TENSOLITE 14 " UNIT*

Rendered to Jeannette Shade & Novelty Company

Lamp - 200 Watts; 115 Volts; 3400 Lumens; PS30
Inside Frosted Gas-Filled
Bulb; Medium Base;
General Service.


Surface covering
globe opening,
reflection
factor 0.70.

White diffusing glass
Weight - 2-lb. 15-oz.



LUMINAIRE DISTRIBUTION DATA					
Mean Vertical					
MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° IEN.	219		90° HOR.	192	
175°	218	21	85°	201	219
165°	215	61	75°	222	235
155°	209	97	65°	242	240
145°	190	119	55°	263	236
135°	174	135	45°	293	227
125°	165	148	35°	324	204
115°	165	164	25°	354	164
105°	171	181	15°	377	107
95°	183	200	5°	391	37
			0° NADIR	392	
LIGHT FLUX VALUES					
ZONE	LUMENS		PER CENT TOTAL LUMENS BARE LAMP	PER CENT LIGHT OUTPUT	
	LAMP	LUMINAIRE			
0°-60°	928	975	28.5	82	
0°-90°	1730	1669	49		
90°-180°	1670	1126	33		
0°-180°	3400	2795	82		

LUMINAIRE BRIGHTNESS



CANDLEPOWER PER SQUARE INCH

THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

LOCATIONS	A	B	C	D	E	F	G	H	I	J	K	L	M
CP, PER SQ. IN.	2.1	2.2	2.3	2.6	3.0	2.5	2.6	2.9	2.7		2.2	2.9	2.5
*E.T.L. Identification No.6872													
TESTED BY	DHS	PLOTTED BY	MW	COMPUTED BY	MW	CHECKED BY	Int	ISSUED	March 16, 1937.				

APPROVED BY *William F. Little*
ENGINEER IN CHARGE OF PHOTOMETRY

C. F. Korn
IN CHARGE OF TEST

Jeannette Viking

Semi-Indirect

FOR COMMERCIAL LIGHTING



Number	Width	Depth	Fitter	Wattage	No. to carton	Weight packed	Price Each
1309	9"	7"	4"	75 to 100	12 only	25-lbs.	\$2.85
1312	12"	8 $\frac{3}{4}$ "	6"	150 to 200	4 only	18-lbs.	4.26
1312-4	12"	8 $\frac{3}{4}$ "	4"	100 to 150	4 only	18-lbs.	4.26
1314	14"	10 $\frac{1}{4}$ "	6"	200 to 300	2 only	13-lbs.	6.51
1316	16"	11 $\frac{7}{8}$ "	6"	300 to 500	1 only	9-lbs.	8.22

The VIKING SEMI-INDIRECT is made from our water clear crystal glass with a weather resisting enamel fired into the bottom which gives an effect of an over layer of glass. The top has a light fume fired into the glass which eliminates shadows yet permits the greater percentage of the light to be reflected upward giving it a very efficient SEMI-INDIRECT effect. We recommend this line where the enclosed globe is desired but the SEMI-INDIRECT effect is wanted. For OFFICES, SCHOOLS, STORES or PUBLIC BUILDINGS.

See Page No. 4 for Test Chart

ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 141076

ORDER NO. 64889-S

PLATE NO. 29527


CANDLEPOWER DISTRIBUTION

NO. 1316 SEMI-INDIRECT ENCLOSING GLOBE*

Rendered to Jeannette Shade & Novelty Company

Lamp - 300 Watts; 115 Volts; 5490 Lumens;
PS35 Inside Frosted Gas-Filled Bulb;
C-7A Filament;
Medium
Skirted
Base;
General
Service.


Hanger -
Inside finish mat
aluminum.



LUMINAIRE DISTRIBUTION DATA					
MEAN VERTICAL					
MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° ZEN.	446		90° HOR.	220	
175°	432	41	85°	218	238
165°	397	115	75°	231	245
155°	471	220	65°	252	250
145°	578	361	55°	283	254
135°	622	480	45°	317	245
125°	611	544	35°	350	220
115°	523	516	25°	381	176
105°	351	377	15°	407	116
95°	233	259	5°	419	40
			0° NADIR	421	

LIGHT FLUX VALUES				
ZONE	LUMENS		PER CENT TOTAL LUMENS BARE LAMP	PER CENT LIGHT OUTPUT
	LAMP	LUMINAIRE		
0°-60°	1440	1051	19	85.5
0°-90°	2830	1784	32.5	
90°-180°	2660	2913	53	
0°-180°	5490	4697	85.5	

LUMINAIRE BRIGHTNESS



CANDLEPOWER PER SQUARE INCH
THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

LOCATIONS	A	B	C	D	E	F	G	H	I	J	K	L	M
CP. PER SQ. IN.	1.5	1.6	2.7	5.4	3.1	1.5	2.8	2.5	2.9	3.1	1.5	3.1	2.2

TESTED BY HSC PLOTTED BY ms *E.T.L. Identification No. 7033 ms COMPUTED BY ms CHECKED BY ms ISSUED April 20, 1937.

APPROVED BY

William F. Little
ENGINEER IN CHARGE OF PHOTOMETRY

C. F. Horn
IN CHARGE OF TEST

